

```
# Use the front controller as index file. It serves as fallback solution when  
# every other rewrite/redirect fails (e.g. in an aliased environment without  
# mod_rewrite). Additionally, this reduces the matching process for the  
# startpage (path "/") because otherwise Apache will apply the rewriting rules  
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
```

`DirectoryIndex` app.php

```
<IfModule mod_rewrite.c>  
    #RewriteEngine On  
    #RewriteCond %{REQUEST_URI}::$1 ^(/,+)/(,.*):.\2$  
    #RewriteRule ^(.*) - [E=BASE:%1]  
    #RewriteCond %{ENV:REDIRECT_STATUS} ^$  
    #RewriteRule ^app\.php(/(,.*))$ %{ENV:BASE}/%2 [R=301,L]  
    #RewriteCond %{REQUEST_FILENAME} -f  
    #RewriteRule .? - [L]  
    # Rewrite all other queries to the front controller.  
    #RewriteRule .? %{ENV:BASE}/app.php [L]  
  
    RewriteEngine On  
    RewriteCond %{REQUEST_FILENAME} !-f  
    RewriteRule ^(.*)$ app.php [QSA,L]  
</IfModule>  
  
<IfModule !mod_rewrite.c>  
    <IfModule mod_alias.c>  
        # When mod_rewrite is not available, we instruct a temporary redirect of  
        # the startpage to the front controller explicitly so that the website  
        # and the generated links can still be used.  
        RedirectMatch 302 ^/$ /app.php/  
        # RedirectTemp cannot be used instead  
    </IfModule>  
</IfModule>
```