

```
#####
# Dev env htaccess
#####
Header set X-UA-Compatible "IE=edge"
AddType text/x-component htc

Options +FollowSymLinks
DirectoryIndex app/index.php app/index.html
RewriteEngine On
RewriteBase /

# Forbid access to directories
RewriteRule "\.(git|svn|sass-cache)/?" / [F,L]

# Forbid access to files
<FilesMatch "(^(\.|/)(svn|ht.|!git|[Dd][Ss]_|_rvmrc))|\.(\.log|\.md|\.markdown)$|README\.$">
    Order deny,allow
    deny from all
</FilesMatch>

# Force as attachments
<FilesMatch "\.(pdf|docx?|csv|xlsx?)$">
    ForceType application/octet-stream
    Header set Content-Disposition attachment
</FilesMatch>

<FilesMatch "\.(html|html|js|css|hbs)$">
    FileETag None
    <ifModule mod_headers.c>
        Header unset ETag
        Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
        Header set Pragma "no-cache"
        Header set Expires "Wed, 11 Jan 1984 05:00:00 GMT"
    </ifModule>
</FilesMatch>

# Force everything into app/
RewriteRule (.*) app%{REQUEST_URI}

# If the path doesn't exist, assume it's a
# JS or CSS path and serve it through the htc
```

*# JS app path and run it through the index*

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule (.*) app/index.html [L]
```