```
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteCond %(HTTPS) !on
  RewriteCond %(SERVER_NAME) =qist.deblan.org
  RewriteRule . * https://gist.deblan.org%(REQUEST_URI) [R,L]
# Determine the RewriteBase automatically and set it as environment variable.
  # If you are using Apache aliases to do mass virtual hosting or installed the
  # project in a subdirectory, the base path will be prepended to allow proper
  # resolution of the app.php file and to redirect to the correct URI. It will
  # work in environments without path prefix as well, providing a safe, one-size
  # fits all solution. But as you do not need it in this case, you can comment
  # the following 2 lines to eliminate the overhead.
  RewriteCond %(REQUEST_URI)::$1 ^(/.+)/(.*)::\2$
  RewriteRule ^(.*) - [E=BASE: %1]
  # Redirect to URI without front controller to prevent duplicate content
  # (with and without `/app.php`). Only do this redirect on the initial
  # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
  # endless redirect loop (request -> rewrite to front controller ->
  # redirect -> request -> ...).
  # So in case you get a "too many redirects" error or you always get redirected
  # to the start page because your Apache does not expose the REDIRECT_STATUS
  # environment variable, you have 2 choices:
  # - disable this feature by commenting the following 2 lines or
  # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
  # following RewriteCond (best solution)
  RewriteCond %(ENV: REDIRECT_STATUS) ^$
  RewriteRule ^index\.php(/(.*)|$) %(ENV:BASE)/$2 [R=301,L]
  # If the requested filename exists, simply serve it.
  # We only want to let Apache serve files and not directories.
  RewriteCond %(REQUEST_FILENAME) -f
  RewriteRule .? - [L]
  # Rewrite all other queries to the front controller.
  RewriteRule .? %(ENV: BASE)/index.php [L]
```

حمل منظ في روح المنظم المنظ المنظ المنظ A منظم كان المنظم كان المنظم كان المنظم كان المنظم كان المنظم كان المن