

```

<FilesMatch "\.(ttf|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>

<IfModule mod_deflate.c>

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$
    ^((gzip|deflate)\s,?\s(gzip|deflate)?|X(4,13)|^(4,13)|-(4,13))$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

<IfModule !mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-
javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
</IfModule>

  <FilesMatch "\.(ttf|otf|eot|svg|woff)$" >
    SetOutputFilter DEFLATE
  </FilesMatch>
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresDefault "access plus 1 month"
  ExpiresByType text/cache-manifest "access plus 0 seconds"
  ExpiresByType text/html "access plus 0 seconds"

  ExpiresByType text/xml "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType application/json "access plus 1 day"

  ExpiresByType application/javascript "access plus 1 hour"

```

```

ExpiresByType application/rss+xml      access plus 1 hour
ExpiresByType image/x-icon             "access plus 1 week"
ExpiresByType image/gif                "access plus 1 month"
ExpiresByType image/png                "access plus 1 month"
ExpiresByType image/jpg                "access plus 1 month"
ExpiresByType image/jpeg               "access plus 1 month"
ExpiresByType video/ogg                "access plus 1 month"
ExpiresByType audio/ogg                "access plus 1 month"
ExpiresByType video/mp4                "access plus 1 month"
ExpiresByType video/webm               "access plus 1 month"
ExpiresByType audio/webm               "access plus 1 month"

ExpiresByType text/x-component         "access plus 1 month"

ExpiresByType font/truetype            "access plus 1 month"
ExpiresByType font/opentype            "access plus 1 month"
ExpiresByType application/x-font-woff  "access plus 1 month"
ExpiresByType image/svg+xml           "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

ExpiresByType text/css                 "access plus 1 year"
ExpiresByType application/javascript    "access plus 1 year"
ExpiresByType text/javascript          "access plus 1 year"

```

```

<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>

```

```
</IfModule>
```

```

<IfModule mod_headers.c>
  Header unset ETag
</IfModule>

```

```
FileETag None
```

```

<IfModule mod_rewrite.c>
RewriteRule get-asset-(\w*) admin/assets?t=$1&%(QUERY_STRING) [L,NC]
Options +FollowSymlinks

```

```
    RewriteEngine On
</IfModule>

Options -MultiViews

ErrorDocument 400 /400.php
ErrorDocument 401 /401.php
ErrorDocument 402 /402.php
ErrorDocument 403 /403.php
ErrorDocument 404 /404.php

AddDefaultCharset utf-8
AddCharset utf-8 .html .css .js .xml .json .rss

Options -Indexes

<IfModule mod_rewrite.c>
    RewriteRule "(^|/)\." - [F]

    # Sections
    RewriteRule ^.*-([a-zA-Z]{2})-([0-9]+)    index.php?%(query_string)&s=$2&lang=$1

    # Charcoal
    RewriteCond %(REQUEST_FILENAME) !-f
    RewriteCond %(REQUEST_FILENAME) !-d
    RewriteRule ^(.*)$ charcoal.php?action=$1&%(QUERY_STRING) [PT,L]

</IfModule>
```