

#Gzip

```
<ifmodule mod_deflate.c>
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
application/x-javascript application/javascript text/javascript
</ifmodule>
```

#End Gzip

```
RewriteEngine on
```

RewriteBase equivalent - Production

```
RewriteCond %{HTTP_HOST} !^localhost$
RewriteRule . - [E=REWRITEBASE:/public_html/]
```

RewriteBase equivalent - Development

```
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule . - [E=REWRITEBASE:/public_html/]
```

```
RewriteRule ^/quote/([0-9]+)$ /quote.php?quoteID=$1
```

```
RewriteRule ^/quote/([0-9]+)$ /quote.php?quoteID=$1
```

```
#RewriteRule ^quote.php$ /index.php
```

#main API

```
RewriteRule api/v2/(?!js)(.*)$ api/v2/api.php?request=$1 [QSA,NC,L]
```

instagram bot API

```
RewriteRule instagram_v2/api/v1/(?!js)(.*)$ instagram_v2/api/v1/api.php?request=$1
[QSA,NC,L]
```

```
ErrorDocument 403 /forbidden.php
```

```
ErrorDocument 404 /404.php
```

prevent viewing of a specific file

```
<files php.ini>
order allow,deny
deny from all
</files>
```

```
RewriteCond %{HTTPS} on
```

```
RewriteRule (.*) http://%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
```

```
RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
```

```
RewriteCond %{HTTP_HOST} www\.(.*)$ [NC]
RewriteRule ^(.*)$ http://%1/$1 [R=301,L]

#
# Rewrite contact to contact-us.php version
#
RewriteRule ^contact/success$ contact-us.php?message=Message+Sent!
RewriteRule ^contact$ %{ENV:REWRITEBASE}/contact-us.php

#
# Rewrite account to users/account/settings.php version
#
RewriteRule ^account$ %{ENV:REWRITEBASE}/users/account/settings.php

#
# Rewrite account to users/account/dashboard.php version
#
RewriteRule ^dashboard$ %{ENV:REWRITEBASE}/users/account/dashboard.php

#
# Rewrite account to users/account/favorites.php version
#
RewriteRule ^favorites$ %{ENV:REWRITEBASE}/users/account/favorites.php

#
# Rewrite account to users/account/favorites.php version
#
RewriteRule ^favorites/([0-9]+)/?(.*)$ %{ENV:REWRITEBASE}/users/account/favorite-list.php?
listID=$1

#the following line WORKS 12/13/13
#
# Rewrite authors/author-id/author-name to queried.php? version
#
RewriteRule ^authors/([0-9]+)/?(.*)$ %{ENV:REWRITEBASE}/author.php?authorID=$1

#
# Rewrite authors/author-name to queried.php? version
#
RewriteRule ^authors/([^/]*)/?$ %{ENV:REWRITEBASE}/author.php?author=$1 [R=301,L]

..
```

```
#  
# Rewrite tags/tagID to queried .php? version  
#  
RewriteRule ^tags/([0-9]+)/?(.*)$ %(ENV: REWRITEBASE)/tag.php?tagID=$1  
  
#  
# Rewrite quotes to standard quotes.php  
#  
RewriteRule ^quotes$ %(ENV: REWRITEBASE)/feed-quotes.php  
  
#  
# Rewrite photos to standard photos.php  
#  
RewriteRule ^photos$ %(ENV: REWRITEBASE)/feed-photos.php  
  
#  
# Rewrite photos to standard photos.php  
#  
RewriteRule ^photos/submit$ %(ENV: REWRITEBASE)/feed-quotes.php?error=submit  
  
#  
# Rewrite videos to standard videos.php  
#  
RewriteRule ^videos$ %(ENV: REWRITEBASE)/feed-videos.php  
  
#  
# Rewrite quotes/quote-id/quote-text to queried .php? version  
#  
RewriteRule ^quotes/([0-9]+)/?(.*)$ %(ENV: REWRITEBASE)/quote.php?quoteID=$1  
  
#  
# Rewrite titles/title-id/title-text to queried .php? version  
#  
RewriteRule ^titles/([0-9]+)/?(.*)$ %(ENV: REWRITEBASE)/title.php?titleID=$1  
  
#  
# Rewrite (photos) quotographs/photoMapID/ to queried .php? version  
#  
RewriteRule ^quotographs/([0-9]+)/?(.*)$ %(ENV: REWRITEBASE)/photo.php?photoMapID=$1  
  
#
```

```
# Rewrite submit/photoMapID/ to queried .php? version
#
RewriteRule ^submit-quote/?$ %{ENV:REWRITEBASE}/submitQuote.php

#
# Rewrite submit/photoMapID/ to queried .php? version
#
RewriteRule ^submit/([0-9]+)/?(.*)$ %{ENV:REWRITEBASE}/submitPhoto.php?quoteID=$1

# removed -- gives problems with .php pages like instagram-redirect-handler.php, could
change this if i specify redirects for all pages instead of .php...
#RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /(?:^/)+\.php
#RewriteRule ^ /%1/ [L,R=301]
```