

```
SetEnvIfNoCase ^User-Agent$ .*
(craftbot|download|extract|stripper|sucker|ninjal|cl|http|webspider|leacher|collector|grabber
bad_bot
Order Deny,Allow
Deny from env=bad_bot
```

```
# Protect files and directories from prying eyes.
```

```
<FilesMatch "\.(engine|incl|info|install|make|module|profile|test|pol|sh|.*sql|theme|tpl|\.(php
(^|\.(sw[op]|\.bak|\.orig|\.save))?"
$|^(\.(?!Entries|Repository|Root|Tag|Template)|^#.*$)\.(php(^|\.(sw[op]|\.bak|\.orig|\.save
    Order allow,deny
</FilesMatch>
```

```
# Redirect from old domain to new domain
```

```
#<IfModule mod_rewrite.c>
```

```
# RewriteEngine On
```

```
# RewriteCond %{HTTP_HOST} ^olddomain.co.uk$ [OR]
```

```
# RewriteCond %{HTTP_HOST} ^www.olddomain.co.uk$ [OR]
```

```
# RewriteCond %{HTTP_HOST} ^www.aliasdomain.com$ [OR]
```

```
# RewriteCond %{HTTPS} off
```

```
# RewriteRule (.*)$ https://newdomain.com/$1 [R=301,L]
```

```
#</IfModule>
```

```
# Single page redirect
```

```
#Redirect 301 /old/old.htm http://www.domain.com/new.htm
```

```
#order deny,allow
```

```
#deny from all
```

```
#allow from 92.19.200.46
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteRule ^index\.php$ - [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]
```

```
</IfModule>
```

```
# END WordPress
```

```
# ENV WORDPRESS
```

```
<files ~ "^.*\.([Hh][Tt][Aa])">  
order allow,deny  
deny from all  
satisfy all  
</files>
```

```
<files wp-config.php>  
order allow,deny  
deny from all  
</files>
```

```
<files xmlrpc.php>  
order allow,deny  
deny from all  
</files>
```

```
<IfModule mod_rewrite.c>  
RewriteEngine On  
RewriteBase /  
RewriteRule ^wp-admin/includes/ - [F,L]  
RewriteRule !^wp-includes/ - [S=3]  
RewriteRule ^wp-includes/[^/]+\.(php)$ - [F,L]  
RewriteRule ^wp-includes/js/tinymce/langs/.+\.(php) - [F,L]  
RewriteRule ^wp-includes/theme-compat/ - [F,L]  
</IfModule>
```

```
<IfModule mod_expires.c>  
ExpiresActive On  
ExpiresByType image/jpg "access 1 year"  
ExpiresByType image/jpeg "access 1 year"  
ExpiresByType image/gif "access 1 year"  
ExpiresByType image/png "access 1 year"  
ExpiresByType text/css "access 1 month"  
ExpiresByType application/pdf "access 1 month"  
ExpiresByType text/x-javascript "access 1 month"  
ExpiresByType application/x-shockwave-flash "access 1 month"  
ExpiresByType image/x-icon "access 1 year"  
ExpiresDefault "access 2 days"  
</IfModule>
```

```
# Redirect all traffic to maintenance.html file
#RewriteEngine on
#RewriteCond %{REQUEST_URI} !/maintenance.html$
#RewriteCond %{REMOTE_ADDR} !^123%.123%.123%.123
#RewriteRule $ /maintenance.html [R=302,L]
```

```
# Custom error page for error 403, 404 and 500
#ErrorDocument 404 /error.html
#ErrorDocument 403 / error.html
#ErrorDocument 500 / error.html
```