

```

Options -MultiViews
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

<IfModule mod_rewrite.c>
    Options +SymLinksIfOwnerMatch

    # Rewrite URL section
    RewriteEngine on
    RewriteBase /

    # Omit www.
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]

    # Trailing slash, except when it's a resource (has a dot)
    RewriteCond %{REQUEST_URI} !(/$|\.)
    RewriteRule .* %1%{REQUEST_URI}/ [R=301,L]

    # Rewrite all to index.php
    # Condition 2 rewrites /base/test/ to (test/)#(/base/)test/
    # Which is backreferenced in the rule to ensure base dir is right
    RewriteCond %{REQUEST_URI} !(index\.php)$
    RewriteCond $1#%{REQUEST_URI} ([^#]*)#(.*?)\1/*$
    RewriteRule ^(.*?)$ %2index.php [QSA,L]
</IfModule>

<IfModule mod_deflate.c>
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE text/html text/xml text/css text/plain text/x-component
        AddOutputFilterByType DEFLATE image/svg+xml application/xhtml+xml application/xml

```

```
image/x-icon
```

```
    AddOutputFilterByType DEFLATE application/rdf+xml application/rss+xml  
application/atom+xml
```

```
    AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-  
javascript application/json application/x-web-app-manifest+json
```

```
    AddOutputFilterByType DEFLATE application/x-font-ttf application/x-font-otf
```

```
    AddOutputFilterByType DEFLATE font/truetype font/opentype
```

```
</IfModule>
```

```
</IfModule>
```

```
AddDefaultCharset UTF-8
```

```
<IfModule mod_mime.c>
```

```
    AddCharset utf-8 .atom .css .js .json .rss .vtt .webapp .xml
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
    SetOutputFilter DEFLATE
```

```
    SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)[0-9\/*]*$ no-gzip
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
    Header set X-UA-Compatible "IE=edge"
```

```
    # `mod_headers` can't match based on the content-type, however, we only
```

```
    # want to send this header for HTML pages and not for the other resources
```

```
    <FilesMatch "\.(appcache|crx|css|curl|eot|gif|htc|icol|jpe?
```

```
gl|jst|m4a|m4v|manifest|mp4|oex|ogal|ogg|ogv|opus|otf|pdf|png|safariextz|svgz?
```

```
l|ttf|vcf|webapp|webml|webpl|woff|xml|xpi)$">
```

```
        Header unset X-UA-Compatible
```

```
    </FilesMatch>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
    Header unset ETag
```

```
    Header unset Pragma
```

```
    Header set Cache-Control "private, must-revalidate"
```

```
</IfModule>
```

```
FileETag None
```

```
<IfModule mod_expires.c>
```

```
    ExpiresDefault
```

```

ExpiresActive on
ExpiresDefault "access plus 1 month"

# CSS
ExpiresByType text/css "access plus 1 year"

# Data interchange
ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/ld+json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images
ExpiresByType image/x-icon "access plus 1 week"

# HTML components (HTCs)
ExpiresByType text/x-component "access plus 1 month"

# HTML
ExpiresByType text/html "access plus 0 seconds"

# JavaScript
ExpiresByType application/javascript "access plus 1 year"

# Manifest files
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

```

Web fonts

```
ExpiresByType application/font-woff "access plus 1 month"  
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"  
ExpiresByType application/x-font-ttf "access plus 1 month"  
ExpiresByType font/opentype "access plus 1 month"  
ExpiresByType image/svg+xml "access plus 1 month"
```

</IfModule>