

```
# -----  
# Proper MIME type for all files  
# -----  
  
# JavaScript  
AddType application/javascript js jsonp  
AddType application/json json  
  
# Audio  
AddType audio/mp4 m4a f4a f4b  
AddType audio/ogg oga ogg  
  
# Video  
AddType video/mp4 mp4 m4v f4v f4p  
AddType video/ogg ogv  
AddType video/webm webm  
AddType video/x-flv flv  
  
# SVG  
AddType image/svg+xml svg svgz  
AddEncoding gzip svgz  
  
# Webfonts  
AddType application/vnd.ms-fontobject eot  
AddType application/x-font-ttf ttf ttc  
AddType application/x-font-woff woff  
AddType font/opentype otf  
  
# Assorted types  
AddType application/octet-stream safariextz  
AddType application/x-chrome-extension crx  
AddType application/x-opera-extension oex  
AddType application/x-shockwave-flash swf  
AddType application/x-web-app-manifest+json webapp  
AddType application/x-xpinstall xpi  
AddType application/xml rss atom xml rdf  
AddType image/webp webp  
AddType image/x-icon ico  
AddType text/cache-manifest appcache manifest  
AddType text/vtt vtt  
AddType text/x-ecmascript es
```

```
HeaderType text/x-component ntc
AddType text/x-vcard vcf
```

```
# -----
# Gzip compression
# -----
```

```
<IfModule mod_deflate.c>
```

```
    # Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-  
beyond-gzipping/
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
```

```
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
```

```
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
        </IfModule>
```

```
    </IfModule>
```

```
    # Compress all output labeled with one of the following MIME-types
```

```
    # (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
```

```
    # and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as
```

```
    # `AddOutputFilterByType` is still in the core directives)
```

```
AddOutputFilterByType DEFLATE application/atom+xml \
```

```
    application/javascript \
```

```
    application/json \
```

```
    application/rss+xml \
```

```
    application/vnd.ms-fontobject \
```

```
    application/x-font-ttf \
```

```
    application/xhtml+xml \
```

```
    application/xml \
```

```
    font/opentype \
```

```
    image/svg+xml \
```

```
    image/x-icon \
```

```
    text/css \
```

```
    text/html \
```

```
    text/plain \
```

```
    text/x-component \
```

```
    text/xml
```



```

ExpiresByType image/jpeg          "access plus 1 month"
ExpiresByType image/png           "access plus 1 month"
ExpiresByType video/mp4           "access plus 1 month"
ExpiresByType video/ogg           "access plus 1 month"
ExpiresByType video/webm          "access plus 1 month"

# HTC files (css3pie)
ExpiresByType text/x-component     "access plus 1 month"

# Webfonts
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf       "access plus 1 month"
ExpiresByType application/x-font-woff     "access plus 1 month"
ExpiresByType font/opentype              "access plus 1 month"
ExpiresByType image/svg+xml              "access plus 1 month"

# CSS and JavaScript
ExpiresByType application/javascript     "access plus 1 week"
ExpiresByType text/css                   "access plus 1 week"

</IfModule>

# -----
# ETag removal
# -----

# FileETag None is not enough for every server.
<IfModule mod_headers.c>
  Header unset ETag
  Header set Connection keep-alive
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# -----
# Rewrite Rules
# -----

```

```

<IfModule mod_rewrite.c>
  RewriteEngine On

  # Site redirects
  #RewriteCond %{HTTP_HOST} ^ten4design.com [NC,OR]
  #RewriteCond %{HTTP_HOST} ^www.ten4design.com [NC]
  #RewriteRule ^(.*)$ http://www.ten4design.co.uk/$1 [L,R=301,NC]

  # Page redirects
  #RewriteRule ^portfolio/video$ /films [L,R=301]
  #RewriteRule ^portfolio/(\w-)+/?$ /films/view/$1 [L,R=301]

  # Ensure www.
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} !^www\. [NC]
  RewriteCond %{SERVER_ADDR} !=127.0.0.1
  RewriteCond %{SERVER_ADDR} !=::1
  RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]

  # Remove trailing slash
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule ^(.*)/$ /$1 [R=301,L]

# -- BEGIN CRAFT REWRITE -----

  # Send would-be 404 requests to Craft
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteCond %{REQUEST_URI} !^(favicon\.ico|apple-touch-icon.*\.png)$ [NC]
  RewriteRule (.+) /index.php?p=$1 [QSA,L]

# -- END CRAFT REWRITE -----

# -- BEGIN SLIM REWRITE -----

  # Send would-be 404 requests to Slim
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_URI} !^(favicon\.ico|apple-touch-icon.*\.png)$ [NC]
  RewriteRule ^ index.php [QSA,L]

# -- END SLIM REWRITE -----

```

```
</IfModule>
```

```
# -----  
# A little more security  
# -----
```

```
<IfModule mod_autoindex.c>
```

```
Options -Indexes
```

```
</IfModule>
```