

```

##=====
#=browser specific
#=====#
# Force the latest IE version, in various cases when it may fall back to IE7 mode
# github.com/rails/rails/commit/123eb25#commitcomment-118920
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  # mod_headers can't match by content-type, but we don't want to send this header on *every*
  <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|oggl|m4al|ogvl|mp4l|m4vl|webml|svgl|svgz|eotl|ttfl|otfl|woff|icol|webpl|appcache|manifest|
>
  Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

##=====
#=symfony -@ from symfony standard
#=====#

##=send home page through app.php automatically, reduce lookups for other indexes
DirectoryIndex app.php

<IfModule mod_rewrite.c>
  RewriteEngine On

  ##=help handle app being served from subdirectory
  # RewriteCond %{REQUEST_URI}::$1 ^(/,+)/(,.*):;\2$
  # RewriteRule ^(.*) - [E=BASE:%1]

  ##=remove 'app.php' from URL to prevent duplicate content
  RewriteCond %{ENV:REDIRECT_STATUS} ^$
  RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/$2 [R=301,L]

  ##=serve files and directories
  RewriteCond %{REQUEST_FILENAME} -f
  RewriteRule .? - [L]
  RewriteCond %{REQUEST_FILENAME} -d
  RewriteRule .? - [L]

  ##=other routes as though symfony

```

```

    ##==all other routes go through symfony
    RewriteRule .? %{ENV:BASE}/app.php [L]
</IfModule>
<IfModule !mod_rewrite.c>
    <IfModule mod_alias.c>
        ##==temporary fallback if mod_rewrite isn't available. URLs will show with 'app.php' pi
        RedirectMatch 302 ^/$ /app.php/
    </IfModule>
</IfModule>
##==disable Multiviews to prevent '/app' from resolving to '/app.php'
<IfModule mod_negotiation.c>
    Options -MultiViews
</IfModule>

##==compression
#--compress text files
#-@ https://github.com/h5bp/server-configs-apache/blob/master/src/web\_performance/compressi
<IfModule mod_deflate.c>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE 'application/atom+xml' \
            'application/javascript' \
            'application/json' \
            'application/ld+json' \
            'application/manifest+json' \
            'application/rdf+xml' \
            'application/rss+xml' \
            'application/schema+json' \
            'application/vnd.geo+json' \
            'application/vnd.ms-fontobject' \
            'application/x-font-ttf' \
            'application/x-javascript' \
            'application/x-web-app-manifest+json' \
            'application/xhtml+xml' \
            'application/xml' \
            'font/eot' \
            'font/opentype' \
            'image/bmp' \
            'image/svg+xml' \
            'image/vnd.microsoft.icon' \
            'image/x-icon' \
            'text/cache-manifest' \
            . . . . .

```

```
'text/css' \  
'text/html' \  
'text/javascript' \  
'text/plain' \  
'text/vcard' \  
'text/vnd.rim.location.xloc' \  
'text/vtt' \  
'text/x-component' \  
'text/x-cross-domain-policy' \  
'text/xml'
```

</IfModule>

</IfModule>