

```

# Display content at http://website.com never http://www.website.com
<IfModule mod_rewrite.c>
    Options +FollowSymlinks
# Options +SymLinksIfOwnerMatch
    RewriteEngine On
# RewriteBase /
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>

# Allow Cross-Domain Web Fonts
<IfModule mod_headers.c>
    <FilesMatch "\.(eot|font.css|otf|ttf|woff)$">
        Header set Access-Control-Allow-Origin "*"
    </FilesMatch>
</IfModule>

# Force Internet Explorer to use latest rendering engine
<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=edge"
    <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?
gl|js|m4a|m4v|manifest|mp4|oex|ogal|oggl|ogv|otf|pdf|png|safariextz|svgz?
|ttf|vcf|webapp|webm|webp|woff|xml|xpi)$">
        Header unset X-UA-Compatible
    </FilesMatch>
</IfModule>

# Block access to directories without a default document (like index.html)
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# Block access to hidden files and folders (dotfiles)
<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>

# Block access to source maps on the server

```

```
# BLOCK access to source formats on the server
```

```
<FilesMatch "(^#.#|\.|bak|config|dist|fla|incl|ini|log|sh|sql|sw[op])|(\")$" >  
  Order allow,deny  
  Deny from all  
  Satisfy All  
</FilesMatch>
```

```
# Compress files if mod_deflate is installed
```

```
<IfModule mod_deflate.c>  
  <IfModule mod_setenvif.c>  
    <IfModule mod_headers.c>  
      SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$  
      ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding  
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding  
    </IfModule>  
  </IfModule>  
  <IfModule mod_filter.c>  
    AddOutputFilterByType DEFLATE application/atom+xml \  
      application/javascript \  
      application/json \  
      application/rss+xml \  
      application/vnd.ms-fontobject \  
      application/x-font-ttf \  
      application/x-web-app-manifest+json \  
      application/xhtml+xml \  
      application/xml \  
      font/opentype \  
      image/svg+xml \  
      image/x-icon \  
      text/css \  
      text/html \  
      text/plain \  
      text/x-component \  
      text/xml  
  </IfModule>  
</IfModule>
```