

```

<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?
gl|jst|m4a|m4v|manifest|mp4|oex|ogal|oggl|ogv|otf|pdf|png|safariextz|svg|svgz|ttf|vcl|webm|webp|
  Header unset X-UA-Compatible
  </FilesMatch>
</IfModule>

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(gif|ico|jpe?gl|png|svg|svgz|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

<IfModule mod_headers.c>
  <FilesMatch "\.(eot|font|css|otf|ttc|ttf|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

AddType application/javascript js jsonp
AddType application/json json

AddType audio/mp4 m4a f4a f4b
AddType audio/ogg oga ogg

AddType video/mp4 mp4 m4v f4v f4p
AddType video/ogg ogv
AddType video/webm webm
AddType video/x-flv flv

AddType image/svg+xml svg svgz
AddEncoding gzip gz

AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf ttc
AddType application/x-font-woff woff
AddType application/x-font-woff2 woff2

```

ModType	font/opentype	oct
AddType	application/octet-stream	safariextz
AddType	application/x-chrome-extension	crx
AddType	application/x-opera-extension	oex
AddType	application/x-shockwave-flash	swf
AddType	application/x-web-app-manifest+json	webapp
AddType	application/x-xpinstall	xpi
AddType	application/xml	rss atom xml rdf
AddType	image/webp	webp
AddType	image/x-icon	ico
AddType	text/cache-manifest	appcache manifest
AddType	text/vtt	vtt
AddType	text/x-component	htc
AddType	text/x-vcard	vcf

```

<IfModule mod_deflate.c>
  <IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
      SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\
(4,13))$ HAVE_Accept-Encoding
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
  </IfModule>

```

```

<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE application/atom+xml \
                           application/javascript \
                           application/json \
                           application/rss+xml \
                           application/vnd.ms-fontobject \
                           application/x-font-ttf \
                           application/xhtml+xml \
                           application/xml \
                           font/opentype \
                           image/svg+xml \
                           image/x-icon \
                           text/css \
                           text/html \
                           text/plain \
                           text/x-component \
                           . . . . .

```

text/xml

```
</IfModule>
</IfModule>
<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresDefault "access plus 1 month"

  ExpiresByType text/cache-manifest "access plus 0 seconds"

  ExpiresByType text/html "access plus 0 seconds"

  ExpiresByType application/json "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType text/xml "access plus 0 seconds"

  ExpiresByType application/atom+xml "access plus 1 hour"
  ExpiresByType application/rss+xml "access plus 1 hour"

  ExpiresByType image/x-icon "access plus 1 week"

  ExpiresByType audio/ogg "access plus 1 month"
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
  ExpiresByType video/mp4 "access plus 1 month"
  ExpiresByType video/ogg "access plus 1 month"
  ExpiresByType video/webm "access plus 1 month"

  ExpiresByType text/x-component "access plus 1 month"

  ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
  ExpiresByType application/x-font-ttf "access plus 1 month"
  ExpiresByType application/x-font-woff "access plus 1 month"
  ExpiresByType font/opentype "access plus 1 month"
  ExpiresByType image/svg+xml "access plus 1 month"

  ExpiresByType application/javascript "access plus 1 year"
  ExpiresByType text/css "access plus 1 year"
</IfModule>
```

```
<IfModule mod_headers.c>
  Header set Cache-Control "no-transform"
</IfModule>
```

```
<IfModule mod_headers.c>
  Header unset ETag
</IfModule>
```

FileETag None

```
AddDefaultCharset utf-8
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml
```

```
<IfModule mod_autoindex.c>
  Options -Indexes
</IfModule>
```

```
<IfModule mod_rewrite.c>
  RewriteCond %{SCRIPT_FILENAME} -d [OR]
  RewriteCond %{SCRIPT_FILENAME} -f
  RewriteRule "^(\/)\." - [F]
</IfModule>
```

```
<FilesMatch "\.(bak|config|dist|fla|incl|ini|log|psd|sh|sql|swp|I\*)">
  Order allow,deny
  Deny from all
  Satisfy All
</FilesMatch>
```

```
<IfModule mod_php5.c>
  php_value session.cookie_httponly true
</IfModule>
```

BEGIN WordPress

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^([0-9]+)/([0-9]+)/([0-9]+)/(.*)$ /$4 [R=301,NC,L]
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]

RewriteEngine On
RewriteCond %{SERVER_PORT} 80
RewriteRule ^(.*)$ https://www.thefootytipster.com/$1 [R,L]
</IfModule>

# END WordPress

<Files 403.shtml>
order allow,deny
allow from all
</Files>

deny from 86.150.105.160

Redirect /topsites/ https://www.thefootytipster.com
Redirect /consultancy/ https://www.thefootytipster.com
Redirect /tft-chat-room/ https://www.thefootytipster.com
Redirect /tft-quick-chat/ https://www.thefootytipster.com
Redirect /live-scores/ https://www.thefootytipster.com
```