

```
# Protect files and directories from prying eyes.
```

```
<FilesMatch "\.(admin|ads|app-  
icons|captcha|clickmap|clicktale|db|diendan|ebooks|images|img|includes|ipl|livechat|luongcucl  
tac-toe|triggers|uploads|workers|sh|. *sql|themel|tpl(\.php)?|xtempl)(\.\.sw[op]|\.bak|\.orig|\  
$|^(\. *|Entries.*|Repository|Root|Tag|Template)$|^#. *#)$|\.php(\.\.sw[op]|\.bak|\.orig|\.save  
Order allow,deny
```

```
</FilesMatch>
```

```
<Files ~ "\.db$">
```

```
Deny from all
```

```
</Files>
```

```
# Don't show directory listings for URLs which map to a directory.
```

```
Options -Indexes
```

```
# Follow symbolic links in this directory.
```

```
Options +FollowSymLinks
```

```
Options -MultiViews
```

```
AddType application/x-web-app-manifest+json .webapp
```

```
AddHandler x-web-app-manifest+json .webapp
```

```
AddType text/cache-manifest .appcache
```

```
AddType video/ogg .ogv
```

```
AddType video/mp4 .mp4
```

```
AddType video/webm .webm
```

```
## EXPIRES CACHING ##
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresByType image/jpg "access 1 year"
```

```
ExpiresByType image/jpeg "access 1 year"
```

```
ExpiresByType image/gif "access 1 year"
```

```
ExpiresByType image/png "access 1 year"
```

```
ExpiresByType text/css "access 1 month"
```

```
ExpiresByType text/html "access 1 month"
```

```
ExpiresByType application/pdf "access 1 month"
```

```
ExpiresByType text/x-javascript "access 1 month"
```

```
ExpiresByType application/x-shockwave-flash "access 1 month"
```

```
ExpiresByType image/x-icon "access 1 year"
```

```
ExpiresDefault "access 1 month"
```

```
ExpiresByType text/plain "access 1 month"
```

```

ExpiresByType font/ttf access plus 10 years
ExpiresByType font/otf "access plus 10 years"
ExpiresByType application/vnd.ms-fontobject "access plus 10 years"
ExpiresByType application/x-woff "access plus 10 years"
ExpiresByType image/svg+xml "access plus 10 years"
</IfModule>
## EXPIRES CACHING ##
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^sitemap.xml$ sitemap.php [L]
    RewriteRule ^fullname/([^/]+)/dob/([^/]+)$ /?fullname=$1&dob=$2 [L,QSA,PT,R=301]
    RewriteRule ^dob/([^/]+)$ /?dob=$1 [L,QSA,PT,R=301]
</IfModule>
<IfModule mod_headers.c>
    Header set Connection keep-alive
    <FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf|eot|woff|otf|ttf|svg)$">
        Header set Cache-Control "max-age=290304000, public"
    </FilesMatch>
</IfModule>
# BEGIN GZIP
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
AddOutputFilterByType DEFLATE font/ttf
AddOutputFilterByType DEFLATE font/otf
AddOutputFilterByType DEFLATE image/svg+xml
<IfModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
    mod_gzip_item_include handler ^cgi-script$
    . . . . .
    . . . . .

```

```
mod_gzip_item_include mime ^text/*
mod_gzip_item_include mime ^application/x-javascript.*
mod_gzip_item_exclude mime ^image/*
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</IfModule>
# END GZIP
```