

```
Options All -ExecCGI -Indexes -Includes +FollowSymLinks
```

```
#Options -MultiViews
```

```
# REWRITE _____
```

```
<IfModule mod_rewrite.c>
```

```
  RewriteEngine on
```

```
  RewriteBase /
```

```
  #RewriteCond %{HTTP_HOST} ^roocms
```

```
  #RewriteRule (.*) http://dev.roocms.com/$1 [R=301,L]
```

```
  #RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /index\.php\ HTTP/
```

```
  #RewriteRule ^index\.php$ http://dev.roocms.com/ [R=301,L]
```

```
  #RewriteRule ^basket(.*)$ ?page=demo$1 [QSA,NE,L]
```

```
</IfModule>
```

```
# REDIRECT _____
```

```
# Redirect 301 /index.html /index.php
```

```
<IfModule mod_rewrite.c>
```

```
  # RewriteRule ^([^\./]+/)*[^\./]+/$ /index.php?page=$1 [L]
```

```
  # RewriteRule ^([^\./]+/)*[^\./]+$ /index.php?page=$1 [L]
```

```
  # RewriteRule ^news/([^\./]+)/?$ news.php?news=$1 [L]
```

```
</IfModule>
```

```
# RedirectMatch 301 /blog(.*) http://www.roocms.com/$1
```

```
# SECURE _____
```

```
<IfModule mod_ssl.c>
```

```
  # SSLOptions +StrictRequire
```

```
  # SSLRequireSSL
```

```
  # SSLRequire %{HTTP_HOST} eq "roocms.com"
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
  # RewriteCond %{HTTPS} !on
```

```
  # RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}
```

```
  # RewriteCond %{SERVER_PORT} !^443
```

```
  # RewriteRule ^ https://%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
```

```
# Внимание!
```

```
# Данная конфигурация файла может порождать побочные запросы к индексному файлу Вашего сайта
```

```
# В случаях когда в Вашей Верстке или скриптах содержатся ошибки или ссылки на несуществующие ресурсы
```

```
# Подобные обращения в большом числе могут вызвать нагрузку на Ваш Веб сервер. 1 ошибка :
```

```
# Будьте внимательны. Перед использованием данного файла проверьте файлы access.log и error.log
```

```
-----
```

нраспе сервером.

Если Вы обнаружите ошибки в Ваших скриптах, исправьте их перед использованием на "боев

Блокировать любой запрос, пытающийся испортить base64_encode через URL

```
RewriteCond %{QUERY_STRING} base64_encode(?:[*^\(]\*\([^\)]*\)) [OR]
```

Блокировать любой запрос, содержащий тег <script> в URL

```
RewriteCond %{QUERY_STRING} (<| %3C)([^\s]*s)+cript.*(>| %3E) [NC,OR]
```

Блокировать любой запрос, пытающийся установить значение глобальных переменных PHP чере:

```
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \| \| %0-9A-Z){0,2} [OR]
```

Блокировать любой запрос, пытающийся изменить _REQUEST переменную через URL

```
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \| \| %0-9A-Z){0,2}
```

Перенаправлять заблокированные запросы

```
RewriteRule .* index.php [F]
```

и запрошенный путь не соответствует пути к физическому файлу

```
RewriteCond %{REQUEST_FILENAME} !-f
```

и запрошенный путь не соответствует пути к физической папке

```
RewriteCond %{REQUEST_FILENAME} !-d
```

то перенаправить запрос на скрипт index.php

```
RewriteRule .* index.php [L]
```

```
RedirectMatch 301 regexp /index.php?page=e410
```

```
</IfModule>
```

HOTLINKING _____

```
<IfModule mod_rewrite.c>
```

```
# RewriteCond %{HTTP_REFERER} !^$
```

```
# RewriteCond %{HTTP_REFERER} !^http://([ -a-z0-9] \.)*?roocms\.com [NC]
```

```
# RewriteRule \.(gif|jpe?g|png)$ - [F,NC,L]
```

```
</IfModule>
```

HANDLER _____

```
AddHandler application/x-httpd-php .html
```

```
AddHandler cgi-script .pl .py .jsp .asp .htm .shtml .sh .cgi
```

```
AddType application/javascript .js
```

```
AddType application/json json
```

```
AddType text/css .css
```

```
AddType text/xml .xml
```

```
AddType text/x-component .htc
```

Audio

```
AddType audio/ogg oga ogg
```

```
-----
```

```
AddType audio/mp4 m4a f4a f4b
# Video
AddType video/ogg ogv
AddType video/mp4 mp4 m4v f4v f4p
AddType video/webm webm
AddType video/x-flv flv
# SVG
AddType image/svg+xml svg svgz
AddEncoding gzip svgz
# Webfonts
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf ttc
AddType font/opentype otf
AddType application/x-font-woff woff
# Assorted types
AddType image/x-icon ico
AddType image/webp webp
AddType text/cache-manifest appcache manifest
AddType text/x-component htc
AddType application/xml rss atom xml rdf
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-xpinstall xpi
AddType application/octet-stream safariextz
AddType application/x-web-app-manifest+json webapp
AddType text/x-vcard vcf
AddType application/x-shockwave-flash swf
AddType text/vtt vtt
# AddType application/octet-stream .doc .mov .avi .pdf .xls
# ForceType application/x-httpd-php

# INDEX FILE -----
DirectoryIndex index.php

# GZIP -----
<IfModule mod_gzip.c>
    mod_gzip_on          Yes
    mod_gzip_dechunk     Yes
    mod_gzip_item_include file    \.(html?|txt|css|js|php|pl)$
    mod_gzip_item_include mime    ^text\.*
    mod_gzip_item_include mime    ^application/x-javascript.*
```

```
mod_gzip_item_include mime      ^application/x-font-woff.*
mod_gzip_item_exclude mime     ^image\.*
mod_gzip_item_exclude rsheader ^Content-Encoding:.*gzip.*
</IfModule>
<ifModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/plain text/xml application/xml application/x-
application/javascript application/x-javascript application/x-font-woff image/jpg image/jpe
</ifModule>

# PHP -----
php_value upload_max_filesize 32M
php_value post_max_size 32M
php_value default_charset utf-8
php_flag magic_quotes_gpc Off
php_flag register_globals Off
php_flag short_open_tag On
# php_value max_input_time 200
# php_value session.name sid

php_value error_reporting 0
php_flag display_startup_errors off
php_flag display_errors off
php_flag html_errors off
php_flag log_errors off
php_flag ignore_repeated_errors on
php_flag ignore_repeated_source on
# php_value log_errors_max_len 1024
php_flag report_memleaks off
php_flag track_errors off
php_value docref_root 0
php_value docref_ext 0
# php_value error_log /tmp/php_error.log
# php_value error_prepend_string " "
# php_value error_append_string " "

<Files php_error.log>
    Order allow,deny
    Deny from all
    Satisfy All
</Files>
```

```

<IfModule php5_module>
    # php_value session.cookie_httponly true
</IfModule>

# XDEBUG -----
#php_flag xdebug.profiler_enable On
#php_flag xdebug.extended_info On
#php_flag xdebug.remote_enable off
#php_flag xdebug.auto_trace off

# OTHER SETTINGS -----
<IfModule mod_setenvif.c>
    SetEnv TZ Europe/Moscow
</IfModule>
ServerSignature Off
AddDefaultCharset UTF-8
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml

# CACHE AND Headers -----
<ifModule mod_headers.c>
#кэшировать html и htm файлы на один день
    <FilesMatch "\.(html|htm)$">
        Header set Cache-Control "max-age=43200"
    </FilesMatch>
#кэшировать css, javascript и текстовые файлы на одну неделю
    <FilesMatch "\.(js|css|txt)$">
        Header set Cache-Control "max-age=604800"
    </FilesMatch>
#кэшировать флэш и изображения на месяц
    <FilesMatch "\.(flv|swf|ico|gif|jpg|jpeg|png|jpe?g)$">
        Header set Cache-Control "max-age=2592000"
    </FilesMatch>
#отключить кэширование
    <FilesMatch "\.(pl|php|cgi|spl|scgi|fcgi)$">
        Header unset Cache-Control
    </FilesMatch>
    <FilesMatch "\.(ttf|tcl|otf|eot|woff|font.css)$">
        Header set Access-Control-Allow-Origin "*"
    </FilesMatch>
    <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|ogg|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|

```

```
>
    Header unset X-UA-Compatible
</FilesMatch>
</IfModule>
<ifModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access plus 5 seconds"
    ExpiresByType image/x-icon "access plus 2592000 seconds"
    ExpiresByType image/jpeg "access plus 2592000 seconds"
    ExpiresByType image/png "access plus 2592000 seconds"
    ExpiresByType image/gif "access plus 2592000 seconds"
    ExpiresByType video/ogg "access plus 1 month"
    ExpiresByType audio/ogg "access plus 1 month"
    ExpiresByType video/mp4 "access plus 1 month"
    ExpiresByType video/webm "access plus 1 month"
    ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
    ExpiresByType text/css "access plus 604800 seconds"
    ExpiresByType text/javascript "access plus 604800 seconds"
    ExpiresByType application/javascript "access plus 604800 seconds"
    ExpiresByType application/x-javascript "access plus 604800 seconds"
    ExpiresByType text/html "access plus 43200 seconds"
    ExpiresByType application/xhtml+xml "access plus 600 seconds"
    ExpiresByType text/xml "access plus 600 seconds"
    ExpiresByType application/xml "access plus 600 seconds"
    ExpiresByType application/json "access plus 600 seconds"
    ExpiresByType application/rss+xml "access plus 1 hour"
    ExpiresByType application/atom+xml "access plus 1 hour"
    ExpiresByType text/x-component "access plus 1 week"
    ExpiresByType application/x-font-ttf "access plus 1 month"
    ExpiresByType font/opentype "access plus 1 month"
    ExpiresByType application/x-font-woff "access plus 1 month"
    ExpiresByType image/svg+xml "access plus 1 month"
    ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
</ifModule>

# Bad Request
ErrorDocument 400 /index.php?page=e400

# Authorization Required
ErrorDocument 401 /index.php?page=e401

# Forbidden
ErrorDocument 403 /index.php?page=e403
```

Not found

ErrorDocument 404 /index.php?page=e404

Method Not Allowed

ErrorDocument 405 /index.php?page=e405

Request Timed Out

ErrorDocument 408 /index.php?page=e408

Conflict

ErrorDocument 409 /index.php?page=e409

Request URI Too Long

ErrorDocument 414 /index.php?page=e414

Internal Server Error

ErrorDocument 500 /e/e500.html

Not Implemented

ErrorDocument 501 /e/e501.html

Bad Gateway

ErrorDocument 502 /e/e502.html

Service Unavailable

ErrorDocument 503 /e/e503.html

Gateway Timeout

ErrorDocument 504 /e/e504.html