

```
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

# uploaded files
RewriteRule ^([_0-9a-zA-Z]+)/files/(.+)$ wp-includes/ms-files.php?file=$2 [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z]+)/wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z]+)/?(wp-(content|admin|includes).*) $2 [L]
RewriteRule ^([_0-9a-zA-Z]+)/?(.*)\.php$ $2 [L]
RewriteRule . index.php [L]

# BEGIN W3TC Page Cache cache
FileETag None
AddDefaultCharset UTF-8
<IfModule mod_mime.c>
    AddType text/html .html_gzip
    AddEncoding gzip .html_gzip
    AddType text/xml .xml_gzip
    AddEncoding gzip .xml_gzip
</IfModule>
<IfModule mod_deflate.c>
    SetEnvIfNoCase Request_URI \.html_gzip$ no-gzip
    SetEnvIfNoCase Request_URI \.xml_gzip$ no-gzip
</IfModule>
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType text/html M3600
</IfModule>
<IfModule mod_headers.c>
    Header set X-Pingback "http://edgeincollegeprep.com/xmlrpc.php"
    Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    Header set Vary "Accept-Encoding, Cookie"
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
```

```
</IfModule>
```

```
</IfModule>
# END W3TC Page Cache cache
# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
    AddType text/css .css
    AddType application/x-javascript .js
    AddType text/x-component .htc
    AddType text/html .html .htm
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType text/xml .xml
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType video/avi .avi
    AddType image/bmp .bmp
    AddType application/java .class
    AddType video/divx .divx
    AddType application/msword .doc .docx
    AddType application/vnd.ms-fontobject .eot
    AddType application/x-msdownload .exe
    AddType image/gif .gif
    AddType application/x-gzip .gz .gzip
    AddType image/x-icon .ico
    AddType image/jpeg .jpg .jpeg .jpe
    AddType application/vnd.ms-access .mdb
    AddType audio/midi .mid .midi
    AddType video/quicktime .mov .qt
    AddType audio/mpeg .mp3 .m4a
    AddType video/mp4 .mp4 .m4v
    AddType video/mpeg .mpeg .mpg .mpe
    AddType application/vnd.ms-project .mpp
    AddType application/x-font-otf .otf
    AddType application/vnd.oasis.opendocument.database .odb
    AddType application/vnd.oasis.opendocument.chart .odc
    AddType application/vnd.oasis.opendocument.formula .odf
    AddType application/vnd.oasis.opendocument.graphics .odg
    AddType application/vnd.oasis.opendocument.presentation .odp
    AddType application/vnd.oasis.opendocument.spreadsheet .ods
    AddType application/vnd.oasis.opendocument.text .odt
```

```
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType text/x-component A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
```

```
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
  <IfModule mod_setenvif.c>
```

```
    BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
```

```
    BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
```

```
  </IfModule>
```

```
<IfModule mod_headers.c>
```

```
  Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
<IfModule mod_filter.c>
```

```
  AddOutputFilterByType DEFLATE text/css application/x-javascript text/x-component te
```

```
</IfModule>
</IfModule>
<FilesMatch "\.(css|js|htc|CSS|JS|HTC)$">
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag None
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsd|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSD|
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag None
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
<FilesMatch "\.
(asf|asx|axl|amv|amx|avi|bmp|class|divx|doc|docx|eot|exl|gif|gz|gzip|ico|jpg|jpeg|jpe|mdb|mi
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    </IfModule>
    FileETag None
    <IfModule mod_headers.c>
        Header set X-Powered-By "W3 Total Cache/0.9.2.4"
    </IfModule>
</FilesMatch>
# END W3TC Browser Cache

#php_flag output_buffering on

php_value upload_max_filesize 50M
```