

```
options +FollowSymlinks
```

```
php_value post_max_size 25600M
```

```
php_value upload_max_filesize 25600M
```

```
php_value max_input_time 3600
```

```
php_value max_execution_time 3600
```

```
php_value memory_limit 2048M
```

```
#Fix safari 9 connection lost
```

```
BrowserMatch "Safari" nokeepalive
```

```
<IfModule mod_deflate.c>
```

```
# compress content with type html, text, and css
```

```
AddOutputFilterByType DEFLATE text/plain
```

```
AddOutputFilterByType DEFLATE text/html
```

```
AddOutputFilterByType DEFLATE text/xml
```

```
AddOutputFilterByType DEFLATE text/css
```

```
AddOutputFilterByType DEFLATE image/png
```

```
AddOutputFilterByType DEFLATE image/gif
```

```
AddOutputFilterByType DEFLATE image/vnd.microsoft.icon
```

```
AddOutputFilterByType DEFLATE image/x-icon
```

```
AddOutputFilterByType DEFLATE image/svg+xml
```

```
AddOutputFilterByType DEFLATE application/x-font-woff
```

```
AddOutputFilterByType DEFLATE application/x-font-woff2
```

```
AddOutputFilterByType DEFLATE font/opentype
```

```
AddOutputFilterByType DEFLATE application/x-font-ttf
```

```
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
```

```
AddOutputFilterByType DEFLATE application/xml
```

```
AddOutputFilterByType DEFLATE application/xhtml+xml
```

```
AddOutputFilterByType DEFLATE application/rss+xml
```

```
AddOutputFilterByType DEFLATE application/javascript
```

```
AddOutputFilterByType DEFLATE application/x-javascript
```

```
AddOutputFilterByType DEFLATE text/css
```

```
<IfModule mod_headers.c>
```

```
# properly handle requests coming from behind proxies
```

```
Header append Vary User-Agent
```

```
<FilesMatch ".(js|css|xml|gz|html|woff2|woff|ttf|otf)$">
```

```
Header append Vary: Accept-Encoding
```

```
</FilesMatch>
```

```
</IfModule>
```

```

</IfModule>
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
</IfModule>

<IfModule mod_expires.c>
    ExpiresActive on

    # Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault          "access plus 1 month"

    # cache, apcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest "access plus 0 seconds"

    # Your document html
    ExpiresByType text/html          "access plus 0 seconds"

    # Data
    ExpiresByType text/xml           "access plus 0 seconds"
    ExpiresByType application/xml    "access plus 0 seconds"
    ExpiresByType application/json   "access plus 0 seconds"

    # Feed
    ExpiresByType application/rss+xml "access plus 1 hour"
    ExpiresByType application/atom+xml "access plus 1 hour"

    # Favicon (cannot be renamed)
    ExpiresByType image/x-icon       "access plus 1 week"

    # Media: images, video, audio
    ExpiresByType image/gif          "access plus 1 month"
    ExpiresByType image/png          "access plus 1 month"
    ExpiresByType image/jpeg         "access plus 1 month"
    ExpiresByType video/ogg          "access plus 1 month"
    ExpiresByType audio/ogg          "access plus 1 month"
    ExpiresByType video/mp4          "access plus 1 month"
    ExpiresByType video/webm         "access plus 1 month"

    # HTC files (css3pie)
    ExpiresByType text/x-component   "access plus 1 month"

```

```
# Webfonts
ExpiresByType application/x-font-ttf      "access plus 1 month"
ExpiresByType font/opentype              "access plus 1 month"
ExpiresByType application/x-font-woff    "access plus 1 month"
ExpiresByType image/svg+xml              "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
# CSS and JavaScript
ExpiresByType text/css                   "access plus 1 year"
ExpiresByType application/javascript     "access plus 1 year"
```

```
</IfModule>
```

```
# -----
# ETag removal
# -----
```

```
# FileETag None is not enough for every server.
```

```
<IfModule mod_headers.c>
```

```
Header unset ETag
```

```
</IfModule>
```

```
# Since we're sending far-future expires, we don't need ETags for  
# static content.
```

```
# developer.yahoo.com/performance/rules.html#etags
```

```
FileETag None
```

```
RewriteEngine on
```

```
RewriteCond %{HTTP_USER_AGENT} libwww-perl.*
```

```
RewriteRule .* - [F,L]
```

```
#admin virtual folder
```

```
RewriteRule ^admin/(.*)$ o3_cms/admin/$1 [QSA]
```

```
#css virtual folder
```

```
RewriteRule ^css/(.*)$ theme/css/$1 [QSA]
```

```
#js virtual folder
```

```
RewriteRule ^js/(.*)$ theme/js/$1 [QSA]
```

*#lib virtual folder*

```
RewriteRule ^lib/(.*)$ theme/lib/$1 [QSA]
```

*#res virtual folder*

```
RewriteRule ^res/(.*)$ theme/res/$1 [QSA]
```

*#seo redirect*

```
RewriteCond $1 !^(index\.php|o3|o3_cms|theme|cache|robots\.txt)
```

```
RewriteRule ^(.*)$ index.php/$1 [L]
```