

BEGIN Better WP Security

Options -Indexes

Begin HackRepair.com Blacklist

RewriteEngine on

Abuse Agent Blocking

RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]

RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DISCO [NC,OR]

RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]

RewriteCond %{HTTP_USER_AGENT} GT: : WWW [NC,OR]

RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]

RewriteCond %{HTTP_USER_AGENT} HTTP: : Lite [NC,OR]

RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]

RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} iLse - Search [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search\.org [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww-perl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Link [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager.com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lup-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\.url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
```

RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} panscient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL: : HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHPCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey\$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\, internetseer\, com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^takeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI: : Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} User-Agent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus\. *Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
```

```
RewriteRule ^.* - [F,L]
```

```
# Abuse bot blocking rule end
# End HackRepair.com Blacklist
```

```
<files .htaccess>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files readme.html>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files readme.txt>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files install.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files wp-config.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteRule ^wp-admin/includes/ - [F,L]
```

```
RewriteRule !^wp-includes/ - [S=3]
```

```
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
```

```
RewriteRule ^wp-includes/[^\.]+\.(php$) - [F,L]
```

```
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F,L]
```

```
RewriteRule ^wp-includes/theme-compat/ - [F,L]
```

```
RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
```

```
RewriteRule ^(.*)$ - [F,L]
```

```
RewriteCond %{REQUEST_METHOD} POST
```

```
RewriteCond %{REQUEST_URI} ^(.*)wp-comments-post\.php*
```

```
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com.*
```

```
RewriteCond %{HTTP_REFERER} !^http://jetpack\.wordpress\.com/jetpack-comment/ [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^$
```

```
RewriteRule ^(.*)$ - [F,L]
```

```
RewriteCond %{QUERY_STRING} \. \. \. [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*\.(bash|git|hg|log|svn|sup|cvs) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
```

```
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ftp\.: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} http\.: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} https\.: [NC,OR]
```

```
RewriteCond %{QUERY_STRING} (\<| %3C).*script.*(\>| %3E) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|%3D) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} base64_encode.*\(.*) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(\\|\/|<|>|'|\"|;|\\?|\\*|=)$).* [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*( &#x22;| &#x27;| &#x3C;| &#x3E;| &#x5C;| &#x7B;| &#x7D; ).* [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*( %24&x).* [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*( %0| %A| %B| %C| %D| %E| %F| 127\., 0).* [NC,OR]
```

```

RewriteCond %{QUERY_STRING} ^.*(global| encode| localhost| loopback). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(request| select| concat| insert| union| declare). * [NC]
RewriteCond %{QUERY_STRING} !^loggedout=true
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(.*)$
RewriteRule ^(.*)$ - [F,L]

RewriteRule ^cms/?$ /wp-login.php?5vavvawdcjf3gmjyum4hf [R,L]

RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^manage/?$ /wp-login.php?5vavvawdcjf3gmjyum4hf&redirect_to=/wp-admin/ [R,L]

RewriteRule ^manage/?$ /wp-admin/?5vavvawdcjf3gmjyum4hf [R,L]

RewriteRule ^sign-up/?$ /wp-login.php?5vavvawdcjf3gmjyum4hf&action=register [R,L]

RewriteCond %{SCRIPT_FILENAME} !^(.*)admin-ajax\.php
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com/wp-admin
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com/wp-login\.php
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com/cms
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com/manage
RewriteCond %{HTTP_REFERER} !^(.*)saugatuckteapartycafe.com/sign-up
RewriteCond %{QUERY_STRING} !^5vavvawdcjf3gmjyum4hf
RewriteCond %{QUERY_STRING} !^action=logout
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{QUERY_STRING} !^action=register
RewriteCond %{QUERY_STRING} !^action=postpass
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^.*wp-admin/?|^.*wp-login\.php /not_found [R,L]

RewriteCond %{QUERY_STRING} ^loggedout=true
RewriteRule ^.*$ /wp-login.php?5vavvawdcjf3gmjyum4hf [R,L]
</IfModule>
# END Better WP Security

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

END WordPress